U.S. Patent Application No.: 10/823,554 Attorney Docket No.: 56130.000078 Client Reference No.: HU-0152-CON

REMARKS

The Office Action dated September 28, 2006, has been received and carefully considered. Reconsideration of the outstanding rejections in the present application is respectfully requested based on the following remarks.

I. THE DOUBLE-PATENTING REJECTION OF CLAIMS 38-45

On pages 2-3 of the Office Action, claims 38-45 were rejected under the judicially created doctrine of obviousness-type double-patenting as being unpatentable over claims 18-25 of U.S. Patent No. 6,798,772.

To expedite the prosecution of the present patent application toward finality, this rejection is hereby respectfully traversed with the filing of a terminal disclaimer concurrently herewith. It should be noted, however, that the filing of a terminal disclaimer in the present patent application does not constitute an admission of the propriety of the obviousness-type double-patenting rejection. See MPEP § 804.02 and Quad Environmental Technologies Corp. v. Union Sanitary District, 946 F.2d 870, 20 USPQ2d 1392 (Fed. Cir. 1991).

In view of the foregoing, it is respectfully requested that the aforementioned double-patenting rejection of claims 38-45 be withdrawn.

U.S. Patent Application No.: 10/823,554 Attorney Docket No.: 56130.000078 Client Reference No.: HU-0152-CON

II. THE DOUBLE-PATENTING REJECTION OF CLAIM 46

On page 3 of the Office Action, claim 46 was rejected under the judicially created doctrine of obviousness-type doublepatenting as being unpatentable over claim 26 of U.S. Patent No. 6,798,772.

expedite the prosecution of the present application toward finality, this rejection is hereby respectfully traversed with the filing of a terminal disclaimer concurrently herewith. It should be noted, however, that the terminal disclaimer filing of a in the present patent application does not constitute an admission of the propriety of the obviousness-type double-patenting rejection. See MPEP § 804.02 and Quad Environmental Technologies Corp. v. Union Sanitary District, 946 F.2d 870, 20 USPQ2d 1392 (Fed. Cir. 1991).

In view of the foregoing, it is respectfully requested that the aforementioned double-patenting rejection of claim 46 be withdrawn.

III. CONCLUSION

In view of the foregoing, it is respectfully submitted that the present application is in condition for allowance, and an early indication of the same is courteously solicited. The 6

U.S. Patent Application No.: 10/823,554 Attorney Docket No.: 56130.000078

Client Reference No.: HU-0152-CON

Examiner is respectfully requested to contact the undersigned by telephone at the below listed telephone number, in order to expedite resolution of any issues and to expedite passage of the present application to issue, if any comments, questions, or suggestions arise in connection with the present application.

To the extent necessary, a petition for an extension of time under 37 CFR § 1.136 is hereby made.

Please charge any shortage in fees due in connection with the filing of this paper, including extension of time fees, to Deposit Account No. 50-0206, and please credit any excess fees to the same deposit account.

Respectfully submitted,

Hunt on & Williams LLP

Apomas E Anderson

Registration No. 37,063

TEA/vrp

Hunton & Williams LLP 1900 K Street, N.W.

Washington, D.C. 20006-1109

Telephone: (202) 955-1500 Facsimile: (202) 778-2201

Date: December 22, 2006